

Business Projection System

RICOH PJ X5371N/ PJ WX5361N

RICOH
imagine. change.



Projection
brightness up to
5,000lm

Projection
size from
25" - 300"

Wired and
optional wireless
LAN

Compatible
PJLink

Send a clearer message

When you're presenting in front of a group of people, you're showcasing more than your next idea. You're showcasing yourself. It's critical that you share your message in a clear, concise way that's memorable. But what works for one audience may not work for another. With the RICOH® PJ X5371N/ PJ WX5361N projection system, you can have the impressive clarity and brightness you've come to expect from Ricoh and our legacy in workplace innovation. Plus, you can customize it to work more effectively with any audience in almost any location. Whether you're in the classroom or the conference room, you can collaborate with your audience easily and give them better access to more information.

Showcase your bright idea everywhere

You worked hard to create your message. Now, it's time to share it with others. Use the Ricoh PJ X5371N/PJ WX5361N to project images that get noticed by your audience — wherever they are. Install the projector in the ceiling and blow up images to 300 inches and share your message to hundreds of people in a large auditorium. Or, set it on a desk feet from the wall and present to smaller groups in more intimate settings, such as a boardroom or even your office. In either case, you can take advantage of the 4000:1 contrast ratio, 3LCD technology, 5,000 lumens and 1200 x 800 dpi image resolution to highlight the finest details with incredible brightness and clarity every time.



Connect across locations

In today's mobile workplace, you're constantly on the move. Shouldn't you be able to take critical information with you? Use a memory drive or a commercially available USB cable and plug in the Ricoh PJ X5371N/ PJ WX5361N directly to any desktop computer or laptop via a wired or optional wireless LAN. Using multiple sources, including DVDs and audio files, for your presentation? You'll have plenty of HDMI connection ports to add new media sources and enhance your presentation with digital and high-definition images and movies easily.



Focus on your message, not the equipment

Are you more confident in your message — or your technical proficiency? Ricoh built its storied history by finding better, easier ways to access information and deliver it to audiences quickly and economically. Take advantage of the intuitive on-screen prompts and one-touch controls to tailor the Ricoh PJ X5371N/PJ WX5361N to your preferences — and to the environment. Worried about image distortion? Images are balanced and adjusted for you automatically, even when presented on different-colored walls, various lighting conditions or when using multiple video formats.



Present your information to more people in more locations

Collaborate with any audience

The best presentations are interactive, where ideas can be shared with the entire group, no matter their location. With the Ricoh PJ X5371N/PJ WX5361N, you can use Advanced Network Utility to set up a password so attendees can access projected images directly from their computer for later use. You can also project images from one computer to multiple projectors, so your team can conduct multiple meetings in multiple locations. You can even have an administrator configure settings for multiple systems remotely using PLink Management software.



Project onto multiple surfaces


From the back office to the doctor's office, use the Ricoh PJ X5371N/PJ WX5361N to change the way you share information — every time, everywhere. Images are adjusted automatically to ensure colors are vibrant on any color of backdrop. You can let the projector balance images to reduce distortion for you, or you can use the 4-point correction function to correct keystone (trapezoidal) distortion yourself. Project on spheres, cylinders and other non-standard surfaces with ease, without compromising clarity. You can even use the projection system to display medical images, including x-rays saved in the DICOM format, for non-diagnostic presentations.

Wall Color Correction



Save time and energy

How much do you want to save? With the energy-efficient and easy-to-use Ricoh PJ X5371N/PJ WX5361N, you can save time during presentations — while conserving energy too. Simply turn it on and start your presentation almost immediately. Shutdown is just as easy; just unplug the power cable and avoid the loud droning sounds of a cool down period. Plus, you can take advantage of two Eco Modes that adjust lamp brightness automatically to accommodate darker or brighter images to help reduce energy costs.



Model		PJ X5371N	PJ WX5361N
Projector Part Number		431151	431154
Replacement Lamp Part Number ¹		512624	
System		3LCD technology	
Resolution		XGA – 1024 x 768 dpi	XGA – 1024 x 768 dpi
Liquid Crystal Panel	Size	0.63"	0.59"
	Aspect Ratio	4:3	16:10
White Light Output (brightness)		5,000 Lumens	4,500 Lumens
Contrast Ratio		4000:1 with Iris	
Screen Size		25" to 300"	
Projection Distance (from rear of unit to projection surface)		26 inches to 45.25 feet	27 inches to 47.75 feet
Throw Ratio		1.3-2.2:1	
Lamp Type		Mercury	
Lamp Wattage	Standard Mode	270W	
	Eco Mode 1	214W	
	Eco Mode 2	163W	
Lamp Life	Standard Mode	3,500 hours	
	Eco Mode 1	4,000 hours	
	Eco Mode 2	6,000 hours	
Projection Lens	Lens	Built-in	
	Shift/Method	Vertical/Manual	
	Zoom Ratio	1: 1.7 or 1.7	
	Zoom/Focus	Manual/Manual	
Interface	Input Signals	NTSC, PAL, SECAM, NTSC4.43, PAL-M, PAL-N, PAL-60	
	Supported Resolutions	480p/60; 576p/50; 720p/60; 720p/50; 1080p/60; 1080p/50; 480i/60; 576i/50; 1080i/60; 1080i/50	
	Analog RGB Compatible Scanning Frequency	Horizontal: 24 – 100KHz, Vertical: 50 – 120Hz	
	Image Input	D-SUB 15-pin x 1, RCA x 1, S-VIDEO x 1, HDMI type A x 2	
	Image Output	D-SUB 15-pin x 1	
	Audio Input	3.5MM Stereo Mini-pin Jack x 1, RCA (L/R) x 1, Microphone Mini-pin Jack x 1	
	Audio Output	3.5MM Stereo L/R Mini-pin Jack x 1	
	Microphone Input	Mini Jack	
	USB	TYPE-A x 1 (USB 2.0 High-Speed) for Wireless LAN, keyboard, mouse, memory, TYPE-B x 1 for USB display	
	Wired LAN	RJ45 (10BASE-T/100BASE-TX x 1)	
	Wireless LAN	Optional IEEE802.11b/g/n compliant	
	Control	D-SUB9 x 1	
	Supported OS	Projection Utility	Windows 7 (32-bit), Windows Vista (32-bit), Windows XP SP3 or later (32-bit)
JPEG Conversion Utility		Windows XP SP3 or later (32-bit) Professional Edition, Windows Vista SP2 (32-bit) Ultimate, Business, Home Basic, Home Premium, Enterprise, Windows 2000 (32-bit) Professional Edition, Windows 7 (32-bit) Ultimate, Professional, Windows 7 (64-bit) Ultimate SP1, Professional SP1, Enterprise SP1, Home Premium	
Projector Management Utility		Windows XP SP3 or later (32-bit) Professional Edition, Windows Vista (32-bit) Ultimate, Business, Windows Vista (64-bit) Ultimate SP2, Enterprise SP2, Business SP2, Home Premium SP2, Home Basic SP2, Windows 7 (32-bit) Ultimate, Professional, Windows 7 (64-bit) Ultimate SP1, Professional SP1, Enterprise SP1, Home Premium SP1, Windows 2000 (32-bit) Professional Edition	
Advanced Network Utility		Windows XP SP3 or later (32-bit) Professional Edition, Windows Vista (32-bit) Ultimate, Business, Windows Vista (64-bit) Ultimate SP2, Enterprise SP2, Business SP2, Home Premium SP2, Home Basic SP2, Windows 7 (32-bit) Ultimate, Professional, Windows 7 (64-bit) Ultimate SP1, Professional SP1, Enterprise SP1, Home Premium SP1, Windows 2000 (32-bit) Professional Edition	
Built-in Speaker		16W Mono	
Dimensions (WxDxH)		15.6" x 10.8" x 5" (398 x 276 x 127 mm)	
Weight		9.46 lbs. (4.3 kg)	
Power Consumption	While Operating	Standard/Eco Mode 1/Eco Mode 2 - 374W/304W/260W	
	Standby Network On	2.4W	
	Standby Network Off	0.2W	
Storage & Transportation Environment		Temperature 10 ~ 50° C; Humidity: 20 ~ 80%	
Fan Noise		Standard/Eco Mode 1/Eco Mode 2: 37/30/29 dB	
Included with Projector		270W high pressure mercury lamp, VGA and power cables, remote with batteries and CD-ROM with User Manual, Safety Instructions, Projection Utility, JPEG Conversion Utility, Project Management Utility, Advanced Network Utility, Customer Registration and Warranty Sheet (US only)	

1: Lamps are consumable products and therefore are not covered by the projector's limited warranty.

Limited Warranty: The Ricoh PJ X5371N/PJ WX5361N is under limited warranty against defects for a period of three years from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.